



## PURE cool DOOR T

Refrigerated cabinet design for wall multidecks  
Insulating glass rotating doors with  
the transparency of single glass  
optional: PURE cool DOOR S  
with single glass

Energy efficiency with glass and light





Produktline

Multidecks

Insulating glass with T edge

Heights

Deeps / Front

## PURE cool

### DOOR

**T / S** (single glass)

ca. 2100 mm | ca. 2300 mm

ca. 1040 mm / ca. 330 mm

### Description

- Innovation from PAN-DUR: T-Edge – Visually transparent composite for insulating glass.
- PAN-DUR develops a transparent sealing compound for manufacturing insulating glass doors with transparent edging. With this manufacturing process, PAN-DUR has succeeded in producing insulating glass doors with a single-glass look.
- Transparent vertical edging of the frameless insulating glass panels gives a perfect single-glass look.
- No color change in the glass composite.
- First-class merchandise presentation and optimum overview.
- Insulating glass doors with transparent edging are made of a high-quality ISO composite – filled with air or alternatively argon gas. Also in 4-fold anti-reflective version on request.
- Glass doors guarantee temperature security for the best merchandise quality and can be combined with vertical LED lighting.
- Frameless sidewalls in double insulating glass, made of high-quality tempered safety glass.



Produktline

Multidecks

Insulating glass with T edge

Heights

Depths / Front

## PURE cool

### DOOR

**T / S** (single glass)

ca. 2100 mm | ca. 2300 mm

ca. 1040 mm / ca. 330 mm

- Base section with fold-down glass apron made of tempered safety glass and glass doors in one plane for a continuous glass look.
- Variably adjustable display insert in the base section – with optional with LED backlighting.
- Top elements made of glass as presentation area for backlit displays.
- The new LED lighting concept in the top and base sections allows a wide range of lighting options for optimal merchandise presentation.
- LED lighting elements can be optionally integrated:
  - horizontally on the display shelves
  - horizontally as decorative lighting in the top glass element and base section



Produktline

Multidecks

Insulating glass with T edge

Heights

Deeps / Front

**PURE cool**

**DOOR**

**T / S** (single glass)

ca. 2100 mm | ca. 2300 mm

ca. 1040 mm / ca. 330 mm

#### Further plus points

- A completely new generation of frameless, self-closing rotating glass doors without thermal bridges are used:
  - With anti-reflective glass panels on request
  - Single glass look by using transparent sealing compound
  - Integrated stop function at an opening angle of 90°
  - Integrated magnetic holding function when closed
  - Stainless all-metal or metal-reinforced door bearings
  - Screw-on handles
- Easy, hygienic cleaning of the glass surfaces

Produktline

Multidecks

Insulating glass with T edge

Heights

Deeps / Front

## PURE cool

### DOOR

**T / S** (single glass)

ca. 2100 mm | ca. 2300 mm

ca. 1040 mm / ca. 330 mm

